WEST Search History

[Hide Items] [Restore] [Clear] [Cancel]

DATE: Thursday, December 02, 2004

Hide?	Set Name	Query	Hit Count
		DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L34	L33 same channel	5
☐	L33	l2	550
☐	L32	l29 same array	19
☐	L31	L29 same hydrophobic	4
☐	L30	L29 same polyimide	0
☐	L29	l10	572
☐	L28	L27 same polyimide	3
☐	L27	channel with drawn	8437
☐	L26	L25 with drawn	3
☐	L25	nanochannel	92
☐	L24	L1 and L10	19
☐	L23	L1 and L9	4
☐	L22	L16 same channel	16
☐	L21	L16 same channel	0
☐	L20	L17 and array	98
☐	L19	L18 and array	21
☐	L18	L16 and channel	53
☐	L17	L14 not @PY>2000	433
☐	L16	L13 not @PY>2000	230
☐	L15	L14 and L13	0
☐	L14	L10	572
☐	L13	L9	310
		DB=PGPB,USPT,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L12	L10 and L9	3
☐	L11	L10 same L9	2
☐	L10	drawn channel	806
☐	L9	drawn substrate	474
		DB=USPT,PGPB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ	
☐	L8	L7 and hydrophobic	66
☐	L7	L6 and polyimide	83
☐	L6	L5 and glass	1571

☐	L5	L4 and L1	1801
☐	L4	immunoassay	47236
☐	L3	L2 and L1	16
☐	L2	drawn process	754
☐	L1	fiber optic	99924

END OF SEARCH HISTORY